



SECURE

Suspended Working Platform/Cradle (ZLP500/630/800/1000)



Suspended Working Platform/Cradle (ZLP500/630/800/1000)

Model NO.:	(ZLP500/630/800/1000)
Standard:	CE, ISO
Productivity:	1000 sets/month
Unit Price/Payment:	T/T or 100% irrevocable L/C at sight
Trademark:	SHENXI

Product Description

SHENXI is a professional manufacture for suspended working platform since 1988. It has more than 20-year history for producing suspended platform and now we have become the No.1 manufacturer in China. If you have chance, we warmly welcome you to visit our factory. You could understand us more.

Note: Below parameter is standard specification of our suspended working platform, and we could also meet special requirements on voltage, frequency, platform length and sharp according to different countries.

Type	ZLP500	ZLP630	ZLP800	ZLP1000		
Rated Capacity	500KG	630KG	800KG	1000KG		
Rated Lifting Speed	9~ 11m /min	9~ 11m /min	8~ 10m /min	8~ 10m /min		
Length of Platform	5m	6m	7.5m	7.5m		
Wire Rope Diameter	8.6mm 4*31SW+Fc	8.6mm 4*31SW+Fc	8.6mm 6*19+IWS	8.6mm 6*19+IWS		
Hoist	Type	LTD 5	LTD 6.3	LTD 8	LTD 10	
	Rated Lifting Force	4.9KN	6.17KN	7.84KN	9.8KN	
	Motor	Power	1.1KW	1.5KW	1.8KW	3.0KW
		Voltage	380V	380V	380V	380V
		Frequenc	50 Hz	50Hz	50 Hz	50 Hz

	y				
	Rotation Speed	1420rpm	1420rpm	1420rpm	1420rpm
	Brake Torque	15Nm	15Nm	15Nm	30Nm
Safety Lock	Type Type	LSB30	LSB30	LSB30	LSB30
	Permission Force of Impact	30kN	30kN	30kN	30kN
	Locking Cable Distance	< 100mm	< 100mm	< 100mm	< 100mm
	Locking Cable	3 ° ~8 °	3 ° ~8 °	3 ° ~8 °	3 ° ~8 °
Suspended mechanism	Projecting length	1. 3~1.7m	1. 3~1.7m	1. 3~1.7m	1. 3~1.7m
	Adjustable height of the beam	1.365 ~1.925m	1.365 ~1.925m	1.365 ~1.925m	1.365 ~1.925m
Weight	Total weight of Aluminum/Steel platform (not include wire rope, cable and safety rope)	1466/1525kg	1631/1715kg	1831/1955kg	2243/2345kg
	Weight of Suspension Mechanism	310kg	310kg	310kg	390kg
	Counter-Weight	750kg	900kg	1000kg	1300kg

PARAPET CLAMPS (Pescante antepecho para 800 kg)